

## The Colon Operator

The colon, `:`, is one of the most important MATLAB operators. It occurs in several different forms. The expression

```
1:10
```

is a row vector containing the integers from 1 to 10:

```
1    2    3    4    5    6    7    8    9   10
```

To obtain nonunit spacing, specify an increment. For example,

```
100:-7:50
```

is

```
100    93    86    79    72    65    58    51
```

and

```
0:pi/4:pi
```

is

```
0    0.7854    1.5708    2.3562    3.1416
```

Subscript expressions involving colons refer to portions of a matrix:

```
A(1:k,j)
```

is the first  $k$  elements of the  $j$ th column of  $A$ . So

```
sum(A(1:4,4))
```

computes the sum of the fourth column. But there is a better way. The colon by itself refers to *all* the elements in a row or column of a matrix and the keyword [end](#) refers to the *last* row or column. So

```
sum(A(:,end))
```

computes the sum of the elements in the last column of  $A$ :


```
ans =  
    34
```

Why is the magic sum for a 4-by-4 square equal to 34? If the integers from 1 to 16 are sorted into four groups with equal sums, that sum must be

```
sum(1:16)/4
```

which, of course, is

```
ans =  
    34
```

 Subscripts

The magic Function 

© 1984–2006 The MathWorks, Inc. · [Terms of Use](#) · [Patents](#) · [Trademarks](#) · [Acknowledgments](#)